

## COVID-19 Potential Workplace Scenarios

| Category  | When to Discontinue   |
|---|---|
| Fever, cough, difficulty breathing or other symptoms of congestion or runny nose, nausea or vomiting, diarrhea, sore throat, muscle aches or pain, fatigue, shortness of breath, chills, headache, or new loss of taste or smell  | Home Isolation until screened by <a href="#">CDC self-checker</a> , medical provider, or state based tool: <ul style="list-style-type: none"> <li>• <a href="#">Iowa</a></li> <li>• <a href="#">Minnesota</a></li> <li>• <a href="#">Nebraska</a></li> <li>• <a href="#">North Dakota</a></li> <li>• <a href="#">Wisconsin</a></li> </ul>   |
| Probable or Suspected COVID-19 (not tested) but have signs or symptoms  | Home isolation until <b>Symptom-Based Criteria</b> is met: <ul style="list-style-type: none"> <li>• No fever for at least 24 hours (without fever reducing meds) <b>and</b></li> <li>• Symptoms have improved <b>and</b></li> <li>• At least 10 days have passed since symptoms first appeared</li> </ul>   |
| Confirmed COVID-19 (tested) and have signs or symptoms  | Home isolation is needed.<br><br>If not severely immunocompromised, can use the symptom-based criteria above.<br><br>If Severely immunocompromised – consult with infectious disease experts.   |
| Confirmed COVID-19 (tested) but no signs or symptoms  | Home isolation until <b>Date-Based Criteria</b> is met: <ul style="list-style-type: none"> <li>• At least 10 days have passed since the date of the first positive test <b>and</b></li> <li>• Continue to have no symptoms since the test</li> </ul> <p style="text-align: center;"><b>Individuals need to physically distance and wear a mask when others are present – including at home.</b></p>   |
| Contact of a contact of a probable or confirmed COVID-19  | No home isolation or quarantine is necessary if both individuals have no symptoms, this is not considered an exposure.  |
| <b>You or a member of your household/intimate partner has a close contact (i.e., 6 feet for a cumulative total of 15 minutes or more over a 24-hour period starting from 2 days before illness onset or test collection) with an infected person until meeting criteria to discontinue home isolation met</b> | Home quarantine: <ul style="list-style-type: none"> <li>• 14 days after last exposure <b>even if</b> tested negative</li> <li>• Post exposure testing is based upon State or local Public Health recommendations</li> <li>• Must be separated if within the home if others who were not also exposed, always maintain 6 feet from others, avoid contact with those at high risk, and do not leave home unless for medical appointments</li> </ul> |

**The ultimate decision on follow-up recommendations is determined by the local health department.**